


Tubing, Type PUN

Basic Version, Inch Series



Complete Tubing Line

 = Basic version.

Outside ø inch	Inside ø inch	Type	Material	Color						
				Blue	Black	Yellow	Green	Red	White	Clear
1/8	0.0625	PUN	Polyurethane	■	■	■	■	■	■	■
	0.085	PU	Polyurethane							
5/32	0.0937	PUN	Polyurethane	■	■	■	■	■	■	■
	0.096	PU	Polyurethane							
3/16	0.125	PUN	Polyurethane	■	■	■	■	■	■	■
	0.109	PU	Polyurethane							
1/4	0.1562	PUN	Polyurethane	■	■	■	■	■	■	■
	0.150	PU	Polyurethane							
5/16	0.1875	PUN	Polyurethane	■	■	■	■	■	■	■
	0.225	PU	Polyurethane							
3/8	0.25	PUN	Polyurethane	■	■	■	■	■	■	■
	0.25	PU	Polyurethane							
1/2	0.3281	PUN	Polyurethane	■	■	■	■	■	■	■
	0.370	PU	Polyurethane							

PUN.BI.PSI.US

Product Short Information

Tubing, Basic Version, Inch Series

Type PUN-...

Ordering Example:

Material PUN-1/8-SW-U-SA
 PUN = Polyurethane | | Inch Series
Color
Outside Diameter BL = Blue GN = Green SW = Black W = White
 Inches GE = Yellow RT = Red TR = Clear



Technical Data					
Pressure Range	28.5 in Hg to maximum pressure				
Temperature Dependent Max. Pressure <small>(Maximum pressure is determined at maximum temperature)</small>	At 68 °F maximum pressure is 150 psi				
	At 104 °F maximum pressure is 75 psi				
	At 140 °F maximum pressure is 48 psi				
Type	Outside ø [inches]	Inside ø [inches]	Min. bending radius [in]	Weight [lb/ft]	Tubing Roll Lengths [ft]
PUN-1/8-...	1/8	1/16	0.200	0.003	164
PUN-5/32-...	5/32	3/32	0.202	-	164
PUN-3/16-...	3/16	1/8	0.339	0.009	164
PUN-1/4-...	1/4	5/32	0.476	0.014	164
PUN-5/16-...	5/16	3/16	0.594	-	164
PUN-3/8-...	3/8	1/4	1.00	0.032	164
PUN-1/2-...	1/2	21/64	1.10	-	164

Type PU-...

Ordering Example:

Material PU-1/8-SW
 PU = Polyurethane | |
Outside Diameter BL=Blue
 Inches SW=Black



Technical Data					
Pressure Range	28.5 in Hg to maximum pressure				
Temperature Dependent Max. Pressure <small>(Maximum pressure is determined at maximum temperature)</small>	At 68 °F maximum pressure is 150 psi				
	At 104 °F maximum pressure is 75 psi				
	At 140 °F maximum pressure is 48 psi				
Type	Outside ø [inches]	Inside ø [inches]	Min. bending radius [in]	Weight [lb/ft]	Tubing Roll Lengths [ft]
PU-1/8-...	1/8	0.085	0.70	0.003	164
PU-5/32-...	5/32	0.096	-	-	164
PU-3/16-...	3/16	0.109	0.80	0.009	164
PU-1/4-...	1/4	0.150	0.90	0.014	164
PU-5/16-...	5/16	0.225	-	-	164
PU-3/8-...	3/8	0.250	1.75	0.032	164
PU-1/2-...	1/2	0.370	3.00	-	164

Festo Corporation

Tel: 1.800.99.FESTO

Fax: 1.800.96.FESTO

E-mail: customerservice_us@festo.com

Web: www.festo.com/us